

Fig. 1






Fig. 2




**Fig 3**

Gene Manager		
	Clone ID	Gene Name
	607318	SUPEROXIDE DISMUTASE
	607327	LYMPHOCYTE ANTIGEN LY-6A.2
	607339	CYSTATIN C PRECURSOR
	607350	Mouse metallothionein II (MT-II) gene
	607364	Mouse skeletal muscle actin mRNA, complete cds
	607388	Mouse ATP synthase alpha subunit, complete cds
	607605	Mus musculus brain beta spectrin (Spnb-2) mRNA, complete cds
	607606	THIOREDOXIN
	607627	M.musculus mRNA for cyclin G
	607641	T-COMPLEX PROTEIN 1, ETA SUBUNIT
	607645	Mus musculus TRAF-related protein (TRAFamn) mRNA, complete cds
	607664	FATTY ACID SYNTHASE
	607679	Mouse stimulatory G protein of adenylate cyclase, alpha chain mRNA, complete cds
	607709	ARGININOSUCCINATE SYNTHASE
	607751	CYTOCHROME C OXIDASE POLYPEPTIDE VIIC PRECURSOR

**Fig. 4**



**Fig 5**



**Fig 6**




Fig 7




Fig 8

Story := [Theme] + Setting + Plot + [Comment]  
 Comment := Description  
 Theme := Description + [Comment]  
 Setting := Characters + [Location] + [Time] + [Comment]  
 Location := Description + [Comment]  
 Time := Description + [Comment]  
 Location := Description + [Comment]  
 Characters := { Character } \* + [Comment]  
 Character := item | collection  
 Plot := { Subplot | Alternative | Event } \* + [Comment]  
 Subplot := [Theme] + [State] + { Subplot | Alternative | Event | Support |  
           Opposition } \* + [Comment]  
 Alternative := [Theme] + [State] + { Subplot | Alternative | Event | Support |  
           Opposition } \* + [Comment]  
 State := Description + [Comment] + { Support | Opposition } \*  
 Event := Description + [Comment] + { Support | Opposition } \*  
 Support := Description // could be a URL for a citation  
 Opposition := Description // could be a URL for a citation

**Fig 9**

<STORY> Wnt/Beta-Catenin Pathway  
 <THEME> WNTs are secreted glycoproteins that act as ligands to stimulate receptor-mediated signal transduction pathways </THEME>  
 <CHARACTERS>  
 <ITEM> Groucho </ITEM>  
 <ITEM> CTBP </ITEM>  
 <COLLECTION> known target genes  
 <ITEM> c-myc </ITEM>  
 <ITEM> cyclin D1 </ITEM>  
 <ITEM> metalloproteinase-7 </ITEM>  
 <ITEM> the nuclear receptor PPARdelta </ITEM>  
 <ITEM> T (brachyury) and the </ITEM>  
 <COLLECTION> homeobox proteins  
 <ITEM> engrailed-2 </ITEM>  
 <ITEM> siamois </ITEM>  
 <ITEM> twinned </ITEM>  
 </COLLECTION>  
 </COLLECTION>  
 </CHARACTERS>  
 <PLOT>  
 <SUBPLOT> what happens when there is no Wnt signaling  
 <STATE> At steady state in the absence of Wnt signaling </STATE>  
 <THEME> beta-catenin is rapidly degraded in the cytoplasm. </THEME>  
 <EVENT> degradation complex leads to the phosphorylation of APC, beta-catenin and Axin by GSK-3. </EVENT>  
 <EVENT> promotes beta-catenin interaction with beta-TrCP </EVENT>  
 <EVENT> beta-catenin is ubiquitinated and degraded by the proteasome </EVENT>  
 </SUBPLOT>  
  
 <SUBPLOT> what happens in presence of Wnt signalling)  
 <THEME> GSK3 reduces phosphorylation of beta-catenin, so beta-catenin accumulates in the nucleus </THEME>  
 <EVENT> ....  
  
 ...  
  
 </SUBPLOT>  
 </PLOT>  
 </STORY>

**Fig 10**